


Product data sheet

2-gang push button switch, 1-pole, 1-way



Reference number

IJZ.10-001-01

Flush mount 2-gang switch button, 1-pole, 1-way 10A/250V~, without frame

1 pole
screw terminals (M4), for wires up to 2.5 mm²

Intended use

- dept ~32mm
- installation in flush box according to DIN 49073
- operation with suitable cover
fits to all Retro and Epsilon serie frames

Polycarbonate plastic (scratch-proof, PC). Surface sprayed manually by Alpocryl Emailack paint, (developed in Switzerland), and lacked with matt lack. Paint has high UV resistance, is flame resistant according to DIN EN13501-1 and chemically resistant according to DIN 68861/1B.

Centre plates colour, EAN code:

Individual packaging (carton blister in thermoplastic bag)

IJ5.10-203-01.R/ON31 - mat brown, barcode 4770025967430; package barcode 4770025967447;

IJ5.10-203-01.R/ONC - mat cream, barcode 4770025000281; package barcode 4770025000298;

IJ5.10-203-01.R/ON59 - mat black, barcode 4770025001226; package barcode 4770025001233;

Technical specifications:

Input voltage, frequency
Switching current
Ambient temperature
Storage/transport temperature
Connection
4mm screw tightening torque max 1,2Nm

AC 250 V~ (+- 10%), 50/60 Hz
10A
-5 ... +35 °C
-20 ... +40 °C
screw terminals
according to standart 884-1 IEC:1994

Centre plates material

breakproof polycarbonate (PC)

Standarts

RoHS- Directive 2011/65/EU
8536500700

Custom tariff number

